


ADVANTAGE AIR®

TECHNICAL CATALOGUE



Door Grille
Metal

DOOR GRILLE



Door Grilles are manufactured of extruded Type 50S anodising grade aluminium which incorporates a set of inverted vee section vanes to ensure a vision proof assembly.

A matching telescopic flange is available for either standard or extra wide doors or partition. The grille is suitable for sidewall, door or partition mounting and is normally used for extract or air transfer applications. Typical installations include offices, shops, hotels, restaurants, schools and most commercial or industrial buildings.

FRAME OPTIONS

- 20mm

STANDARD SIZES



- 200 x 200
- 300 x 300
- 400 x 300
- 400 x 200

FINISHING OPTIONS


- (NA) = Natural Anodised
- (PC) = Powder Coated
- (WS) = Wet Spray

TERMINOLOGY

- OF = Over Flange
- ON = Over Neck
- HS = Hole Size
- NA = Natural Anodised
- PC = Powder Coated
- WS = Wet Spray



SELECTION DATA



EXAMPLE

- 0,07 m^3/s THROUGH A
- 200mm x 250mm GIVES
PRESSURE DROP OF 20 N/m^2
FACE VELOCITY OF 2 m/s .
ALTERNATE SIZES MAY
BE OBTAINED BY PIVOTING ON LINE A-A.



SOUTH AFRICA

Johannesburg

Advantage Air Africa Pty Ltd

T: +27 11 201 0600

F: +27 11 450 4317

E: sales@advantageair.co.za

Cape Town

Advantage Air

T: +27 21 551 8411 / 551 8312

F: +27 21 551 8402

E: sales@advantageair.co.za

Durban

Advantage Air

T: +27 31 579 4615

F: +27 31 579 3903

E: sales@advantageair.co.za